

How to upgrade firmware for outdoor waterproof camera

Suitable for MJPG camera: FI8903W, FI8904W, FI8905W, FI8906W, FI8905E.

Note:

Please check the model number before upgrading.

The firmware 11.15.2.xx **cannot** upgrade to this version.

The firmware 11.35.2.xx **cannot** upgrade to this version.

The firmware 11.25.2.xx can upgrade to this version.


Updating with the wrong firmware could severely damage and/or break your camera. Please make sure the firmware is correct.

Plug in the Ethernet cable to upgrade firmware, not via wireless. Upgrade the system firmware firstly and web UI secondly. Keep power on during the upgrading. Updating with the wrong firmware may severely damage and/or break your camera. Please make sure the firmware is right and update at your own risk.


Download firmware from <http://www.foscam.com/help.aspx?TypeID=11> . Need to register first.

Method 1: Upgrade firmware on IP Camera Tool

Step 1: Highlight and right click the camera and then go to **Upgrade Firmware**.





Step 2: Enter the user and password of camera. The default user is 'admin' and password is blank.




Step 3: Update System Firmware.

Click **Upgrade System Firmware** → select system firmware → click **Open**.




Step 4: Upgrade Web UI.

Repeat step and 2. Click **Upgrade WEB UI** → select Web UI firmware → click **Open**.

**Step 5:** You can check new firmware on **Basic Properties**.


Highlight and right click the camera and then go to **Basic Properties**.

**Method 2:** Update firmware on **Upgrade Device Firmware**.**Step 1:** Log into camera, click **For Administrator** → **Upgrade Device Firmware**.

For Firefox, Google Chrome and Safari, click **Device Management** → **Upgrade Device Firmware**.


Step 2: Update System firmware. Click **Browse** → select system firmware →

click **Open** → click **Submit**.



Step 3: Update Web UI firmware.

Click **Browse** → select Web UI firmware → click **Open** → click **Submit**.



Step 4: You can check new firmware on **Device Info** page.

